


2022-2023

BOTTOM BRACKETS

BOTTOM BRACKETS

ROTOR® BOTTOM BRAKETS - 30mm


30 mm



		BSA30 Track Steel bearings C04-030-01010	BSA30 Steel bearings C04-014-01010-0 Ceramic bearings C04-014-03010-0	ITA30 Steel bearings C04-023-01010-0 Ceramic bearings C04-023-03010-1	BB30 Bearing Set Steel bearings C04-017-01010 Ceramic bearings C04-017-02010	PF4130 Steel bearings C04-020-01010B-0 Ceramic bearings C04-020-04010B-0	PF4630 Steel bearings C04-018-01010-0 C04-018-11010A-0 Ceramic bearings C04-018-03010-0	UBB4630 PF30 Steel bearings C04-028-01010-0	UBB4630 386 Steel bearings C04-029-01010-0	UBB4630 BBRight Steel bearings C04-027-01010-0	T4730 External Steel bearings C04-032-01010-0 Ceramic bearings C04-032-03010-1	T4730 Internal Steel bearings C04-033-01010-0 Ceramic bearings C04-033-03010-1	T4730 Asymmetric Steel bearings C04-036-01010-0 Ceramic bearings C04-036-03010-1
BSA 68	D Thread 1.37"x24T / W68	BSA 68	BSA 68										
BSA 73	D Thread 1.37"x24T / W73		BSA 73										
ITA	D Thread 36mmx24T / W70			ITA									
BB30	D 42 / W 68				BB30								
BB30A	D 42 / W 73				BB30A								
BB30-73	D 42 / W 73				BB30-73								
BB30-83	D 42 / W 83				BB30-83								
BB30-83 Ai	D 42 / W 83				BB30-83 Ai								
BB84	D 42 / W 84.5				BB84								
BB86	D 41 / W 86.5					BB86							
BB89	D 41 / W 89.5					BB89							
BB92	D 41 / W 92					BB92							
BB386EVO	D 46 / W 86.5						BB386EVO		BB386EVO				
BB392EVO	D 46 / W 91.5						BB392EVO		BB392EVO				
BBRight	D 46 / W 79						BBRight			BBRight			
OSBB	D 46 / W 61.5						OSBB	OSBB					
OSBB	D 46 / W 84.5						OSBB		OSBB				
PF30	D 46 / W 68						PF30	PF30					
PF30A	D 46 / W 73						PF30A		PF30A				
PF30-73	D 46 / W 73						PF30-73	PF30-73					
PF30-83	D 46 / W 83						PF30-83		PF30-83				
PF30-83 Ai	D 46 / W 83						PF30-83 Ai		PF30-83 Ai				
T47 68	D Thread 47x1.0mm / W68										T47 68		
T47 77	D Thread 47x1.0mm / W77												T47 77
T47 85.5	D Thread 47x1.0mm / W85.5												T47 85.5
T47 86.5	D Thread 47x1.0mm / W86.5												T47 86.5

ROTOR® BOTTOM BRAKETS - 29mm DUB® Compatible


29mm



BSA 68	D Thread 1.37"x24T / W68	BSA 68				
BSA 73	D Thread 1.37"x24T / W73	BSA 73				
ITA	D Thread 36mmx24T / W70					
BB30	D 42 / W 68					
BB30A	D 42 / W 73					
BB30-73	D 42 / W 73					
BB30-83	D 42 / W 83					
BB30-83 Ai	D 42 / W 83					
BB84	D 42 / W 84.5					
BB86	D 41 / W 86.5		BB86			
BB89	D 41 / W 89.5		BB89			
BB92	D 41 / W 92		BB92			
BB386EVO	D 46 / W 86.5			BB386EVO		
BB392EVO	D 46 / W 91.5			BB392EVO		
BBRight	D 46 / W 79			BBRight		
OSBB	D 46 / W 61.5			OSBB	OSBB	
OSBB	D 46 / W 84.5			OSBB		
PF30	D 46 / W 68			PF30	PF30	
PF30A	D 46 / W 73			PF30A		
PF30-73	D 46 / W 73			PF30-73	PF30-73	
PF30-83	D 46 / W 83			PF30-83		
PF30-83 Ai	D 46 / W 83			PF30-83 Ai		
T47 68	D Thread 47x1.0mm / W68				T47 68	
T47 77	D Thread 47x1.0mm / W77					
T47 85.5	D Thread 47x1.0mm / W85.5					T47 85.5
T47 86.5	D Thread 47x1.0mm / W86.5					T47 86.5

ROTOR® BOTTOM BRAKETS - 24mm

24 mm



BSA 68	D Thread 1.37"x24T / W68	BSA 68	BSA 68															
BSA 73	D Thread 1.37"x24T / W73	BSA 73																
ITA	D Thread 36mmx24T / W70			ITA														
BB30	D 42 / W 68				BB30	BB30												
BB30A	D 42 / W 73																	
BB30-73	D 42 / W 73				BB30-73													
BB30-83	D 42 / W 83																	
BB30-83 Ai	D 42 / W 83																	
BB84	D 42 / W 84.5																	
BB86	D 41 / W 86.5						BB86											
BB89	D 41 / W 89.5						BB89											
BB92	D 41 / W 92						BB92											
BB386EVO	D 46 / W 86.5										BB386EVO							
BB392EVO	D 46 / W 91.5										BB392EVO							
BBRight	D 46 / W 79										BBRight							
OSBB	D 46 / W 61.5							OSBB										
OSBB	D 46 / W 84.5										OSBB							
PF30	D 46 / W 68							PF30	PF30									
PF30A	D 46 / W 73										PF30A							
PF30-73	D 46 / W 73								PF30-73									
PF30-83	D 46 / W 83										PF30-83							
PF30-83 Ai	D 46 / W 83										PF30-83 Ai							
T47 68	D Thread 47x1.0mm / W68												T47 68					
T47 77	D Thread 47x1.0mm / W77																	T47 77
T47 85.5	D Thread 47x1.0mm / W85.5																	T47 85.5
T47 86.5	D Thread 47x1.0mm / W86.5																	T47 86.5